

Hisense

Home Appliance Collection

2019-2020



Hisense

Hisense Middle East FZE

Add: Unit 4007, AA1, Mazaya Business Avenue, Jumeirah Lakes Towers, Dubai, UAE
Tel: (+971)45906900 E-mail: marketing@hisense.com Website: <https://hisenseme.com>



Note: Product design and specification subject to change without prior notice.
© 2017 Hisense Corporation. All rights reserved. Hisense and the Hisense logo are trademarks or registered trademarks of Hisense Group in China and/or other countries. All rights reserved. The Hisense Smart TV logo, Ultra HD High Definition logo, SMR logo and life reimagined logo are trademarks or registered trademarks of Hisense Electric Co., Ltd. in China and/or other countries. All rights reserved. All other company names, brand names, trademarks and logos are the property of their respective owners. All rights reserved.




Our Mission

Is to deliver an enhanced customer experience that exceeds expectations with every product we sell.

From our product's cutting-edge technology, superior performance, elegant & sophisticated design, and enduring reliability to the most trusted retail partners in the industry, nothing is ever compromised.

Step off the between path, choose Hisense, where innovation meets value.



CONTENTS

03-32
PRODUCT

03-08
Multi-Door & Side By Side

09-12
Top-Mount

13-16
Single-Door

17-22
Chest Freezer & Showcase

23-28
Washing Machine

29-32
Kitchen



03-08

MULTI DOOR & SIDE BY SIDE



SIDE BY SIDE



| Model | RS696N4IGU/BU |
|-----------------------------|------------------------------|
| Gross Capacity | 696 |
| Net Capacity | |
| Total (L) | 535 |
| Refrigerator (L) | 367 |
| Freezer (L) | 168 |
| General Features | |
| Color | Stainless-steel Look / Black |
| Temp Control / Display | Computer |
| Defrosting | Automatic |
| Refrigerant | R600a |
| Water Dispenser / Ice Maker | Ice Maker |
| LED | Yes |
| Dimensions | |
| Net (W × D × H) (mm) | 910 × 686.5 × 1786.5 |
| Packing (W × D × H) (mm) | 982 × 780 × 1877 |
| Weight (Net / Gross Kg) | 110 / 121 |
| Loading Capacity (40H.C.) | 48 |

SIDE BY SIDE



| Model | RS670N4ASU/WBU | RS670N4AWU |
|-----------------------------|-------------------------|------------------|
| Gross Capacity | 670 | 670 |
| Net Capacity | | |
| Total (L) | 516 / 514 | 516 |
| Refrigerator (L) | 339 / 337 | 339 |
| Freezer (L) | 177 | 177 |
| General Features | | |
| Color | Stainless-steel / Black | Silver |
| Temp Control / Display | Computer | Computer |
| Defrosting | Automatic | Automatic |
| Refrigerant | R600a | R600a |
| Water Dispenser / Ice Maker | Water Dispenser | No |
| LED | Yes | Yes |
| Dimensions | | |
| Net (W × D × H) (mm) | 910 × 643 × 1786 | 910 × 643 × 1786 |
| Packing (W × D × H) (mm) | 977 × 727 × 1896 | 977 × 727 × 1896 |
| Weight (Net / Gross Kg) | 94 / 107 | 94 / 107 |
| Loading Capacity (40H.C.) | 48 | 48 |

SIDE BY SIDE



| Model | RS826N4AWU/BU | RS741N4WSU/KSU |
|-----------------------------|---------------------------|----------------------|
| Gross Capacity | 826 | 741 |
| Net Capacity | | |
| Total (L) | 636 | 564 / 565 |
| Refrigerator (L) | 411 | 370 / 371 |
| Freezer (L) | 225 | 194 |
| General Features | | |
| Color | White Glass / Black Glass | Stainless-steel Look |
| Temp Control / Display | Computer | Computer |
| Defrosting | Automatic | Automatic |
| Refrigerant | R600a | R600a |
| Water Dispenser / Ice Maker | No | Water Dispenser |
| LED | Yes | Yes |
| Dimensions | | |
| Net (W × D × H) (mm) | 910 × 743 × 1786 | 910 × 743 × 1786 |
| Packing (W × D × H) (mm) | 980 × 830 × 1896 | 982 × 780 × 1877 |
| Weight (Net / Gross Kg) | 118 / 132 | 110 / 120 |
| Loading Capacity (40H.C.) | 28 | 48 |

CROSS DOOR



| Model | RQ806N4ACU/BU | RQ561N4AC1/B1 |
|-----------------------------|-------------------------------|-------------------------------|
| Gross Capacity | 806 | 561 |
| Net Capacity | | |
| Total (L) | 610 | 432 |
| Refrigerator (L) | 396 | 290 |
| Freezer (L) | 107 + 107 | 142 (71L My Fresh Choice) |
| General Features | | |
| Color | Stainless-steel / Black Glass | Stainless-steel / Black Glass |
| Temp Control / Display | Computer | Computer |
| Defrosting | Automatic | Automatic |
| Refrigerant | R600a | R600a |
| Water Dispenser / Ice Maker | No | No |
| LED | Yes | Yes |
| Dimensions | | |
| Net (W × D × H) (mm) | 912 × 780 × 1810 | 790 × 700 × 1810 |
| Packing (W × D × H) (mm) | 980 × 857 × 1932 | 853 × 770 × 1935 |
| Weight (Net / Gross Kg) | 125 / 140 | 106 / 116 |
| Loading Capacity (40H.C.) | 28 | 42 |

CROSS DOOR



| | |
|-----------------------------|-------------------|
| Model | RF682N4ISU |
| Gross Capacity | 682 |
| Net Capacity | |
| Total (L) | 525 |
| Refrigerator (L) | 346 |
| Freezer (L) | 141 + 38 |
| General Features | |
| Color | Stainless-steel |
| Temp Control / Display | Computer |
| Defrosting | Automatic |
| Refrigerant | R600a |
| Water Dispenser / Ice Maker | Ice Maker |
| LED | Yes |
| Dimensions | |
| Net (W × D × H) (mm) | 912 × 850 × 1766 |
| Packing (W × D × H) (mm) | 992 × 859 × 1876 |
| Weight (Net / Gross Kg) | 127 / 153 |
| Loading Capacity (40H.C.) | 26 |

FRENCH DOOR



| | |
|-----------------------------|--|
| Model | RF697N4ZS1/B1 |
| Gross Capacity | 697 |
| Net Capacity | |
| Total (L) | 536 |
| Refrigerator (L) | 417 |
| Freezer (L) | 119 |
| General Features | |
| Color | Black Stainless-steel / Stainless-steel Look |
| Temp Control / Display | Computer |
| Defrosting | Automatic |
| Refrigerant | R600a |
| Water Dispenser / Ice Maker | Water Dispenser |
| LED | Yes |
| Dimensions | |
| Net (W × D × H) (mm) | 912 × 765 × 1776 |
| Packing (W × D × H) (mm) | 988 × 780 × 1889 |
| Weight (Net / Gross Kg) | 120 / 134 |
| Loading Capacity (40H.C.) | 36 |





09-12

TOP-MOUNT NOFROST



TOP-MOUNT



| Model | RT715N4AWB/CB | RT650N4FW0/AIS |
|-----------------------------|------------------------------|------------------------------|
| Gross Capacity | 715 | 650 |
| Net Capacity | | |
| Total (L) | 550 | 490 |
| Refrigerator (L) | 410 | 374 |
| Freezer (L) | 140 | 116 |
| General Features | | |
| Color | White / Stainless-steel Look | White / Stainless-steel Look |
| Temp Control / Display | Computer | Computer |
| Defrosting | Automatic | Automatic |
| Refrigerant | R600a | R600a |
| Water Dispenser / Ice Maker | No | No |
| LED | Yes | Yes |
| Dimensions | | |
| Net (W × D × H) (mm) | 860 × 735 × 1806 | 790 × 735 × 1756 |
| Packing (W × D × H) (mm) | 896 × 722 × 1866 | 842 × 780 × 1819 |
| Weight (Net / Gross Kg) | 96 / 106 | 87 / 97 |
| Loading Capacity (40H.C.) | 39 | 57 |

TOP-MOUNT



| Model | RT419N4DWN/GN | RT328N4DGN |
|-----------------------------|------------------|------------------|
| Gross Capacity | 419 | 328 |
| Net Capacity | | |
| Total (L) | 321 | 251 |
| Refrigerator (L) | 246 | 198 |
| Freezer (L) | 75 | 53 |
| General Features | | |
| Color | Silver / White | Silver |
| Temp Control / Display | Electronics | Electronics |
| Defrosting | Automatic | Automatic |
| Refrigerant | R600a | R600a |
| Water Dispenser / Ice Maker | No | No |
| LED | Yes | Yes |
| Dimensions | | |
| Net (W × D × H) (mm) | 595 × 665 × 1698 | 550 × 605 × 1656 |
| Packing (W × D × H) (mm) | 646 × 716 × 1770 | 583 × 630 × 1708 |
| Weight (Net / Gross Kg) | 62 / 70 | 54 / 60 |
| Loading Capacity (40H.C.) | 73 | 102 |

TOP-MOUNT



| Model | RT599N4ASU/WU | RT488N4ASU/WU |
|-----------------------------|------------------------------|------------------------------|
| Gross Capacity | 599 | 488 |
| Net Capacity | | |
| Total (L) | 460 | 375 |
| Refrigerator (L) | 360 | 286 |
| Freezer (L) | 100 | 89 |
| General Features | | |
| Color | Stainless-steel Look / White | Stainless-steel Look / White |
| Temp Control / Display | Computer | Computer |
| Defrosting | Automatic | Automatic |
| Refrigerant | R600a | R600a |
| Water Dispenser / Ice Maker | No | No |
| LED | Yes | Yes |
| Dimensions | | |
| Net (W × D × H) (mm) | 704 × 686 × 1850 | 700 × 635 × 1720 |
| Packing (W × D × H) (mm) | 747 × 728 × 1930 | 745 × 678 × 1800 |
| Weight (Net / Gross Kg) | 73 / 81 | 67 / 74 |
| Loading Capacity (40H.C.) | 66 | 70 |

TOP-MOUNT



| Model | RT295N4DWN/GN | RD-22DR4SAS1 |
|-----------------------------|------------------|------------------|
| Gross Capacity | 295 | 220 |
| Net Capacity | | |
| Total (L) | 227 | 165 |
| Refrigerator (L) | 174 | 124 |
| Freezer (L) | 53 | 41 |
| General Features | | |
| Color | Silver / White | Silver |
| Temp Control / Display | Electronics | Mechanical |
| Defrosting | Automatic | Manual |
| Refrigerant | R600a | R600a |
| Water Dispenser / Ice Maker | No | No |
| LED | Yes | Yes |
| Dimensions | | |
| Net (W × D × H) (mm) | 550 × 605 × 1556 | 475 × 510 × 1506 |
| Packing (W × D × H) (mm) | 583 × 630 × 1608 | 527 × 548 × 1567 |
| Weight (Net / Gross Kg) | 52 / 57 | 38 / 44 |
| Loading Capacity (40H.C.) | 102 | 150 |



13-16

SINGLE-DOOR



SINGLE-DOOR



| Model | RL475N4BC1 | FV341N4BC1 | RV244N4AWE |
|-----------------------------|----------------------|----------------------|------------------|
| Gross Capacity | 475 | 341 | 244 |
| Net Capacity | | | |
| Total (L) | 360 | 260 | 183 |
| Refrigerator (L) | 360 | | |
| Freezer (L) | | 260 | 183 |
| General Features | | | |
| Color | Stainless-steel Look | Stainless-steel Look | White |
| Temp Control / Display | Computer | Electronic | Electronic |
| Defrosting | Automatic | Automatic | Automatic |
| Refrigerant | R600a | R600a | R600a |
| Water Dispenser / Ice Maker | No | No | No |
| LED | Yes | Yes | Yes |
| Dimensions | | | |
| Net (W × D × H) (mm) | 595 × 662 × 1855 | 596 × 712 × 1855 | 554 × 571 × 1687 |
| Packing (W × D × H) (mm) | 643 × 713 × 1948 | 643 × 713 × 1948 | 580 × 595 × 1740 |
| Weight (Net / Gross Kg) | 74 / 82 | 77 / 85 | 53 / 58 |
| Loading Capacity (40H.C.) | 72 | 72 | 106 |

SINGLE-DOOR



| Model | RR120DAGW/DAGS | RR60DAGS0 |
|-----------------------------|-----------------|-----------------|
| Gross Capacity | 120 | 60 |
| Net Capacity | | |
| Total (L) | 91 | 42 |
| Refrigerator (L) | 79 | 42 |
| Freezer (L) | 12 | |
| General Features | | |
| Color | White / Silver | Silver |
| Temp Control / Display | Mechanical | Mechanical |
| Defrosting | Manual | Manual |
| Refrigerant | R600a | R600a |
| Water Dispenser / Ice Maker | No | No |
| LED | No | No |
| Dimensions | | |
| Net (W × D × H) (mm) | 475 × 446 × 842 | 439 × 470 × 510 |
| Packing (W × D × H) (mm) | 492 × 466 × 873 | 465 × 500 × 533 |
| Weight (Net / Gross Kg) | 20.5 / 23 | 14 / 16 |
| Loading Capacity (40H.C.) | 354 | 569 |

SINGLE-DOOR



| Model | RR229D4WGU | RR195DAGS/5BRN |
|-----------------------------|------------------|------------------|
| Gross Capacity | 229 | 195 |
| Net Capacity | | |
| Total (L) | 176 | 150 |
| Refrigerator (L) | 155 | 129 |
| Freezer (L) | 21 | 21 |
| General Features | | |
| Color | Silver | Red / Silver |
| Temp Control / Display | Mechanical | Mechanical |
| Defrosting | Semi-automatic | Semi-automatic |
| Refrigerant | R600a | R600a |
| Water Dispenser / Ice Maker | No | No |
| LED | No | No |
| Dimensions | | |
| Net (W × D × H) (mm) | 519 × 536 × 1280 | 519 × 536 × 1130 |
| Packing (W × D × H) (mm) | 542 × 565 × 1332 | 542 × 565 × 1182 |
| Weight (Net / Gross Kg) | 34 / 40 | 31 / 34 |
| Loading Capacity (40H.C.) | 172 | 176 |





17-22

CHEST FREEZER & SHOWCASE

CHEST FREEZER



| Model | FC-66DT4SA/B | FC-55DT4SA/B |
|-----------------------------|------------------|--------------------|
| Gross Capacity | 660 | 550 |
| Net Capacity | 510 | 420 |
| General Features | | |
| Color | White / Titanium | White / Titanium |
| Temp Control / Display | Mechanical | Mechanical |
| Defrosting | Manual | Manual |
| Refrigerant | R600a | R600a |
| With Slide Glass Door | No | No |
| Freezer and Fridge Transfer | Yes | Yes |
| Door | Foaming Door | Foaming Door |
| Numbers Of Door | 2 | 1 |
| Casters / Wheels / Feet | 6 Casters | 4 Casters |
| Dimensions | | |
| Net (W × D × H) (mm) | 1702 × 709 × 818 | 1447.5 × 675 × 802 |
| Packing (W × D × H) (mm) | 1734 × 693 × 888 | 1483 × 742 × 890 |
| Weight (Net / Gross Kg) | 70 / 78 | 64 / 82 |
| Loading Capacity | 60 | 72 |

CHEST FREEZER



| Model | FC-40DT4SA/B | FC-33DT4SA/B |
|-----------------------------|--|--|
| Gross Capacity | 400 | 330 |
| Net Capacity | 295 | 240 |
| General Features | | |
| Color | White / Titanium | White / Titanium |
| Temp Control / Display | Mechanical | Mechanical |
| Defrosting | Manual | Manual |
| Refrigerant | R600a | R600a |
| With Slide Glass Door | Yes | Yes |
| Freezer and Fridge Transfer | Yes | Yes |
| Door | Foaming Door & Interior Sliding Glass Door | Foaming Door & Interior Sliding Glass Door |
| Numbers Of Door | 1 | 1 |
| Casters / Wheels / Feet | 4 Casters | 2 Casters and 2 Feet |
| Dimensions | | |
| Net (W × D × H) (mm) | 1125 × 672 × 817 | 1002 × 597 × 842 |
| Packing (W × D × H) (mm) | 1157 × 726 × 888 | 1031 × 623 × 888 |
| Weight (Net / Gross Kg) | 47 / 55 | 34 / 39 |
| Loading Capacity | 98 | 124 |

CHEST FREEZER



| Model | FC-26DT4SA/B | FC-19DT4SA/B |
|-----------------------------|--|--|
| Gross Capacity | 260 | 190 |
| Net Capacity | 189 | 136 |
| General Features | | |
| Color | White / Titanium | White / Titanium |
| Temp Control / Display | Mechanical | Mechanical |
| Defrosting | Manual | Manual |
| Refrigerant | R600a | R600a |
| With Slide Glass Door | Yes | Yes |
| Freezer and Fridge Transfer | Yes | Yes |
| Door | Foaming Door & Interior Sliding Glass Door | Foaming Door & Interior Sliding Glass Door |
| Numbers Of Door | 1 | 1 |
| Casters / Wheels / Feet | 2 Casters and 2 Feet | 2 Casters and 2 Feet |
| Dimensions | | |
| Net (W × D × H) (mm) | 891 × 557 × 842 | 696 × 560 × 842 |
| Packing (W × D × H) (mm) | 920 × 575 × 888 | 726 × 575 × 888 |
| Weight (Net / Gross Kg) | 34 / 38 | 30 / 33 |
| Loading Capacity | 154 | 193 |

CHEST FREEZER



| Model | FC-13DT4SA/B |
|-----------------------------|------------------|
| Gross Capacity | 130 |
| Net Capacity | 95 |
| General Features | |
| Color | White / Titanium |
| Temp Control / Display | Mechanical |
| Defrosting | Manual |
| Refrigerant | R600a |
| With Slide Glass Door | No |
| Freezer and Fridge Transfer | Yes |
| Door | Foaming Door |
| Numbers Of Door | 1 |
| Casters / Wheels / Feet | 4 Feet |
| Dimensions | |
| Net (W × D × H) (mm) | 536 × 557 × 842 |
| Packing (W × D × H) (mm) | 566 × 575 × 888 |
| Weight (Net / Gross Kg) | 24 / 27 |
| Loading Capacity | 250 |

SHOWCASE



| Model | FL-99WC | FL-52WC |
|---------------------------------|--------------------------------------|-------------------------------|
| Gross Capacity | 990 | 520 |
| Net Capacity | 758 | 388 |
| The Bottling Amount (330ml Can) | 711 | 432 |
| General Features | | |
| Temp Control / Display | Mechanical | Mechanical |
| Defrosting | No Frost | No Frost |
| Refrigerant | R134a | R600a |
| Climatic Type | ST | ST |
| Glass Door | Toughened Glass & Front Hot Air Flow | |
| Operating Temperature Range | 0-10 C | 0-7.2 C |
| Casters / Wheels / Feet | 5 Casters | 4 Casters & 2 Adjustable Feet |
| Dimensions | | |
| Net (W x D x H) (mm) | 1010 x 710 x 2060 | 660 x 680 x 2135 |
| Packing (W x D x H) (mm) | 1061 x 793 x 2112 | 707 x 782 x 2213 |
| Weight (Net / Gross Kg) | 170 / 182 | 95 / 105 |
| Loading Capacity | 30 | 47 |

SHOWCASE



| Model | FL-36WC | FL-30FCD |
|---------------------------------|--------------------------------------|-------------------------------|
| Gross Capacity | 360 | 300 |
| Net Capacity | 282 | 222 |
| The Bottling Amount (330ml Can) | 264 | 232 |
| General Features | | |
| Temp Control / Display | Mechanical | Mechanical |
| Defrosting | Manual | Manual |
| Refrigerant | R600a | R600a |
| Climatic Type | ST | ST |
| Glass Door | Toughened Glass & Front Hot Air Flow | Tempered Glass |
| Operating Temperature Range | 0-10 C | 0-10 C |
| Casters / Wheels / Feet | 2 Casters & 2 Feet | 2 Casters & 2 Adjustable Feet |
| Dimensions | | |
| Net (W x D x H) (mm) | 540 x 615 x 1985 | 540 x 570 x 1833 |
| Packing (W x D x H) (mm) | 581 x 657 x 2078 | 581 x 617 x 1898 |
| Weight (Net / Gross Kg) | 72 / 80 | 60 / 65 |
| Loading Capacity | 90 | 91 |



23-28

WASHING MACHINE



FRONT LOAD



| Model | WDBL1014V/T | WFP1014V/S |
|----------------------------------|------------------|-----------------|
| Cabinet Colour | White / Titanium | White / Silver |
| Display | LED | LED |
| Washing Capacity (KG) | 10 (7 KG Drying) | 10 |
| Max Temperature Option (°C) | 95 | 95 |
| Max Spin Speed Option (RPM) | 1400 | 1400 |
| Performance | | |
| Spin Drying Performance Class | B | B |
| Dimensions | | |
| Net (W × D × H) (mm) | 595 × 660 × 845 | 595 × 660 × 845 |
| Loading Capacity (Carton) (40HC) | 150 | 150 |

TOP LOAD



| Model | WTY1802T | WTQ1602T |
|------------------------------|------------------|------------------|
| Supply Voltage (V / Hz) | 220-240V / 50Hz | 220-240V / 50Hz |
| Water Inlet (Single; Double) | Double | Double |
| Pump | Pump with Filter | Pump with Filter |
| Water Capacity (KG) | 18 | 16 |
| Cabinet Colour | Titanium | Titanium |
| Tempered Glass Door | Yes | Yes |
| Dimensions | | |
| Net (W × D × H) (mm) | 684 × 700 × 1110 | 684 × 700 × 1070 |
| Loading Capacity (40HC) | 96 | 96 |

FRONT LOAD



| Model | WFKV9014/T | WFHV8012/T | WFHV7012/T |
|----------------------------------|------------------|------------------|------------------|
| Cabinet Colour | White / Titanium | White / Titanium | White / Titanium |
| Display | LED | LED | LED |
| Washing Capacity (KG) | 9 | 8 | 7 |
| Max Temperature Option (°C) | 95 | 95 | 95 |
| Max Spin Speed Option (RPM) | 1400 | 1200 | 1200 |
| Performance | | | |
| Spin Drying Performance Class | B | B | B |
| Dimensions | | | |
| Net (W × D × H) (mm) | 595 × 660 × 850 | 595 × 600 × 850 | 595 × 460 × 850 |
| Loading Capacity (Carton) (40HC) | 162 | 162 | 246 |

TOP LOAD



| Model | WTX1302T | WTJD802T / WTCT802 |
|------------------------------|------------------|----------------------|
| Supply Voltage (V / Hz) | 220-240V / 50Hz | 220-240V / 50Hz |
| Water Inlet (Single; Double) | Double | Double |
| Pump | Pump with Filter | Pump with Filter |
| Water Capacity (KG) | 13 | 8 |
| Cabinet Colour | Titanium | Titanium / White |
| Tempered Glass Door | Yes | Glass Door / Plastic |
| Dimensions | | |
| Net (W × D × H) (mm) | 684 × 630 × 990 | 532 × 532 × 920 |
| Loading Capacity (40HC) | 108 | 208 |

TWIN LOAD



| Model | XPB140-SXC14 | XPB120-7001 |
|--------------------------------|------------------|------------------|
| General Features | | |
| Supply Voltage (V / Hz) | 240V / 50Hz | 240V / 50Hz |
| Water Pressure (MPA) | 0.1-1 | 0.1-1 |
| Capacity (Wash / Spin) | 14 / 7.5kg | 12 / 7.5kg |
| Cabinet Colour | White | White |
| Dimensions | | |
| Net Dimension (W x D x H) (mm) | 957 x 549 x 1045 | 890 x 535 x 1040 |
| Packing Dimension (mm) | 990 x 580 x 1040 | 920 x 570 x 1025 |
| Weight (Net / Gross Kg) | 34 / 38 | 28.5 / 33 |
| Loading Capacity (40HC) | 120 | 128 |



TWIN LOAD



| Model | XPB100-SXA14 | XPB80-5001 |
|--------------------------------|------------------|-----------------|
| General Features | | |
| Supply Voltage (V / Hz) | 240V / 50Hz | 240V / 50Hz |
| Water Pressure (MPA) | 0.1-1 | 0.1-1 |
| Capacity (Wash / Spin) | 10 / 6.5kg | 8.0 / 5.6kg |
| Cabinet Colour | White | White |
| Dimensions | | |
| Net Dimension (W x D x H) (mm) | 854 x 490 x 960 | 796 x 470 x 914 |
| Packing Dimension (mm) | 890 x 525 x 1010 | 820 x 495 x 910 |
| Weight (Net / Gross Kg) | 23 / 26 | 20.5 / 23.5 |
| Loading Capacity (40HC) | 144 | 194 |



29-32

KITCHEN



DISHWASHER



| Model | H14DB | H14DS | H14DW |
|-------------------------------|-----------------|-----------------|-----------------|
| Specification | | | |
| Capacity (Place Settings) | 14 | 14 | 14 |
| Water Consumption (L / cycle) | 11 | 11 | 11 |
| Noise Level (dB) | 49 | 49 | 49 |
| Spray Arms | 2 | 2 | 2 |
| Basket Colour | Black | Grey | Grey |
| Door Colour | Black | Stainless Steel | White |
| Dimensions | | | |
| Product (W × D × H) (mm) | 600 × 600 × 845 | 600 × 600 × 845 | 600 × 600 × 845 |
| Packing (W × D × H) (mm) | 642 × 637 × 875 | 642 × 637 × 875 | 642 × 637 × 875 |
| Weight (Net / Gross Kg) | 43 / 48 | 43 / 48 | 43 / 48 |
| Loading | 162 | 162 | 162 |

MICROWAVE OVEN



| Model | H43MOMMI | H36MOMMI |
|--------------------------|-----------------------------|-----------------|
| Specification | | |
| Capacity (L) | 43 | 36 |
| Maximum Timer (mins) | 99:99 Mins | 99 : 99 |
| Microwave Power (W) | 1000 | 1000 |
| Exterior Finish | Glass Door: Black Finishing | Silver |
| Dimensions | | |
| Net (W × D × H) (mm) | 553 × 482 × 311 | 519 × 426 × 315 |
| Packing (W × D × H) (mm) | 628 × 528 × 385 | 586 × 507 × 378 |
| Net/ Gross Weight | 17.4 / 18.3 | 16 / 18 |
| Loading Capacity | 570 | 622 |

DISHWASHER



| Model | H14DBLS | H12DESS | H12DEWH |
|-------------------------------|-----------------------|-----------------|-----------------|
| Specification | | | |
| Capacity (Place Settings) | 14 | 12 | 12 |
| Water Consumption (L / cycle) | 11 | 11 | 11 |
| Noise Level (dB) | 45 | 49 | 49 |
| Spray Arms | 2 | 2 | 2 |
| Basket Colour | Black | Grey | Grey |
| Door Colour | Black Stainless Steel | Stainless Steel | White |
| Dimensions | | | |
| Product (W × D × H) (mm) | 600 × 600 × 850 | 600 × 600 × 845 | 600 × 600 × 845 |
| Packing (W × D × H) (mm) | 675 × 656 × 875 | 656 × 675 × 875 | 656 × 675 × 875 |
| Weight (Net / Gross Kg) | 37 / 43 | 34 / 38 | 34 / 38 |
| Loading | 162 | 162 | 162 |

MICROWAVE OVEN



| Model | H28MOMME | H20MOMMI |
|--------------------------|-----------------|-----------------|
| Specification | | |
| Capacity (L) | 28 | 20 |
| Maximum Timer (mins) | 99 : 99 | 35 |
| Microwave Power (W) | 900 | 700 |
| Exterior Finish | Silver | Silver |
| Dimensions | | |
| Net (W × D × H) (mm) | 513 × 398 × 307 | 440 × 355 × 258 |
| Packing (W × D × H) (mm) | 579 × 460 × 362 | 488 × 380 × 291 |
| Net/ Gross Weight | 14.1 / 16.7 | 10.5 / 12 |
| Loading Capacity | 721 | 1336 |