

Hisense



Washing Machine Collection

2017-2018

A smiling woman and a young girl are shown from the chest up, holding a large piece of white fabric together. They are both looking at each other and smiling. The woman has long blonde hair and is wearing a white cardigan over a grey top. The girl has short brown hair with a pink hair tie and is wearing a white t-shirt. The background is a white brick wall with some green plants visible in the lower right.

Our Mission

is to deliver an enhanced customer experience that exceeds expectations with every product we sell.

From our product's cutting-edge technology, superior performance, elegant & sophisticated design, and enduring reliability to the most trusted retail partners in the industry, nothing is ever compromised.

Step off the beaten path, choose Hisense, where innovation meets value.



CONTENTS

Front Load

03

Top Load

26

Twin Tub

43

Specification

49

Global Market

63

FRONT LOAD

Perfection Just Got Better



Auto Dosing

Intelligent dosage for best results based on the load of laundry. There is no need to add detergent every time, the precise Auto Dosing system can store enough liquid detergent and softener for up to 20 times helping to save budget and the environment.



Power Jet Wash Technology

The self-developed Power Jet Wash system can inject detergent and water deep into your laundry so as to remove the dirt from your clothes as quickly as possible. And also let you have a better rinse performance and less detergent residue with double spray jet design.



Inverter Motor

The inverter technology changes the motor's rotation principle and lets the motor stay cool during operation because of its brushless and frictionless drive.

Inverter Motor's key advantages:

1. Longer lifespan of the motor for 10 years quality guarantee.
2. Quiet operation – less vibration and 5dB lower noise than the universal for 1400RPM.
3. Energy saving – less energy consumption during the washing phase which can get the EU A+++ -20%.



Space Saving and One-Stop Wash & Dry

This Hisense washer dryer offers a one-stop Wash & Dry laundry solution, saving space, and providing a high level performance in both washing and drying functionality. Especially designed for families with limited space.



Pause & Add

This unit makes it possible to add clothes after the program has started just pressing the “Start/Pause” button without waiting for 2-3 minutes than the PTC lock, more convenience for your wash.

*This function will be activated only when the water level and water temperature is safe for the end user.



Unique Snowflake Drum system

The snowflake shape drum design will give you better cleaning results, as well as providing greater protection for your washing. More caring for your clothes.

1.Its small water exit holes (Ø2.5mm)also help protect fabric by preventing clothes from becoming trapped.

2.Thanks to the laser welding, with smoother than rivet drum.





360° Smart Wash Technology



Smart Wash Time Adjustment

360° Smart Wash Technology can automatically measure different weight of your laundry to decide the optimized washing time.



Smart Foam Control

Too much detergent can result in excess foam formation and will reduce washing performance. the 360° Smart Wash Technology can detect if there is too much foam and reduce it automatically to care for your skin and improve the wash process.



Smart Water & Power Usage Adjustment

Thanks to the 360° Smart Wash Technology, the washer can adjust the water and power usage according to the weight of your laundry.



Smart Spin Imbalance Adjustment

With 360° Smart Wash Technology, it will automatically redistribute the load inside the drum to ensure smooth and quiet spin operation.



Memory Function

Set your washing machine to remember your favourite or most used cycles using Hisense's Memory Function.



Baby Care

A cycle featuring a high-temperature wash and extra rinse is more effective at eliminating bacteria and allergens from your laundry, and also to help remove the remaining detergent effectively. Offering a greater degree of protection to your family and especially for your baby.



Skin Care

Particularly suited to washing items that need to be hygienically clean and especially kind to sensitive skin thanks to the longer wash cycle at a defined Temperature and extra rinse and longer spin cycle.



Drum Clean

Undissolved detergent can cause a build-up of grime within washing machines. Hisense's Drum Clean cycle flows hot water through the entirety of the drum to break down and remove any residue. Run once every three months to ensure your washing comes out optimally clean.



Self-diagnostic Fault Finding

In the unlikely event of a fault, Hisense's Self Diagnostic tools allow you to trouble shoot yourself using the manual. The appliance will also detect incorrect usage or product faults automatically, and alert you in order to protect your appliance from further damage.



15 Minute Quick Wash

Fast wash for small load - 2kg in 14 min Quick wash programmes allow fast cleaning of smaller loads, Ideal for when you're in a hurry.



Delay Timer

Use the delay timer to wash when it suits you, even if you're not in the house. Wash overnight to take advantage of cheaper electricity, or set your cycle to finish shortly before you are due home to ensure wet laundry won't be left in the machine.




Hisense innovative Triple Washer

Enjoy Healthier and Easier Life

The innovative Triple Washer will help you divide your laundry by letting you wash three loads at the same time . Big loads below can easily perform your normal laundry, and two smaller and special care loads above are perfect for:

- Delicates
- Hand Washables
- Kids clothes
- Underwear
- Towels



FRONT LOAD



Tribble washer >
NEW



BL Series >
NEW



HM(HV) Series >
NEW



EH Series >
NEW



P Series >



H Series >



NH Series >



BJ1 Series >




BJ Series >



NJ1 Series >




NJ Series >



DJ1 Series >




LJ1 Series >



XE Series >



Tribble Washer




Features

- Intelligent partition washing and care system
- Power Jet Wash
- White porcelain Drum Design
- Anionic bactericidal technology
- Three independent driver
- Precise Auto Dosing Detergent and Softener
- Big Touch Control Display
- Hismart Let You Control the Washer Whih the At Any Place and Anytime
- Inverter motor for less vibration , less noise and less energy consumption
- Higher door handle for your easy loading and unloading

| MODEL | WFES1214VAW |
|--------------------------------|------------------|
| Washing Capacity (KG) | 10 + 1 + 1 |
| Max Spin Speed (RPM) | 1400 |
| Energy Efficiency Class | A+++ |
| Net Dimensions (W × D × H mm) | 595 × 680 × 1170 |
| Loading Capacity (Carton 40HC) | Not Available |



Washer & Dryer




Features

- Inverter Motor for Less Vibration , Less Noise and Less Energy Consumption
- Space Saving and One-Stop Wash & Dry
- Pause & Add for Easily Loading During Process
- Unique Snowflake Drum System
- Higher Door Handle for Your Easy Loading and Unloading
- Super Quick Wash
- Unique Snowflake Drum Design
- Time Delay for Your Time Saving and Convenience Self-diagnostic Fault-finding

| MODEL | WDBL1014V |
|--------------------------------|-----------------|
| Washing Capacity (KG) | 10 |
| Drying Capacity (KG) | 7 |
| Max Spin Speed (RPM) | 1400 |
| Energy Efficiency Class | A |
| Net Dimensions (W × D × H mm) | 595 × 660 × 845 |
| Loading Capacity (Carton 40HC) | 138 |



BL Series




Features

- 16 Automatic Programs
- Big Intelligent LED Display
- Pause & Add for Easily Loading During Process
- Favourite Function for Your Washing Convenience.
- Unique Snowflake Drum System
- Self-diagnostic Fault-finding
- Drum Clean to Keep The Drum and Laundry Clean
- Higher Door Handle for Your Easy Loading and Unloading
- Inverter Motor for Less Vibration , Less Noise and Less Energy Consumption

| MODEL | WFBL9014V | WFBL8014V | WFBL7014V |
|--------------------------------|-----------------|-----------------|-----------------|
| Washing Capacity (KG) | 9 | 8 | 7 |
| Max Spin Speed (RPM) | 1400 | 1400 | 1400 |
| Energy Efficiency Class | A+++ | A+++ | A+++ |
| Net Dimensions (W × D × H mm) | 595 × 610 × 845 | 595 × 610 × 845 | 595 × 520 × 850 |
| Loading Capacity (Carton 40HC) | 159 | 159 | 223 |



HM(HV) Series




Features

- 15 Automatic Programs
- Child Lock Function
- Super Quick Wash
- Time Delay Function for Your Time Saving.
- Wash Time Remaining Indicator
- Smart Spin Imbalance Control.
- Self-diagnostic Fault-finding

| MODEL | WFHM(HV)9014 | WFHM(HV)8012 | WFHM(HV)7014 | WFHM(HV)6012 |
|-------------------------------------|-----------------|-----------------|-----------------|-----------------|
| Washing Capacity (KG) | 9 | 8 | 7 | 6 |
| Max Spin Speed (RPM) | 1400 | 1200 | 1400 | 1200 |
| Energy Efficiency Class | A+++ | A+++ | A+++ | A+++ |
| Net Dimensions (W × D × H mm) | 595 × 600 × 850 | 595 × 600 × 850 | 595 × 460 × 850 | 595 × 460 × 850 |
| Loading Capacity (Carton 40HC) | 162 | 162 | 230 | 230 |
| Loading Capacity (Shrink Film 40HC) | 162 | 162 | 246 | 246 |




EH Series




Features

- 18 Automatic Programs
- Inverter Motor for Less Vibration , Less Noise and Less Energy Consumption
- Big Control Display Let You Easily To Control and Know the Washer Status
- Power Jet Wash(WFEH1014VJ)
- Higher Door Handle for Your Easy Loading and Unloading
- Super Quick Wash
- Unique Snowflake Drum Design
- Time Delay for Your Time Saving and Convenience
- Self-diagnostic Fault-finding Precise Auto Dosing Detergent and Softener(WFEH1014VA)

| MODEL | WFEH1014VJ | WFEH1014VA |
|--------------------------------|-----------------|-----------------|
| Washing Capacity (KG) | 10 | 10 |
| Max Spin Speed (RPM) | 1400 | 1400 |
| Energy Efficiency Class | A+++ | A+++ |
| Net Dimensions (W × D × H mm) | 595 × 660 × 845 | 595 × 660 × 845 |
| Loading Capacity (Carton 40HC) | 138 | 138 |



P Series




Features

- 16 Automatic Programs
- Big Intelligent LED Display with Touch Button Control
- Crease Care Function Make the Clothes Less Crease
- Memory Function for Your Washing Convenience
- Unique Snowflake Drum System
- Self-diagnostic Fault-finding
- Pause & Add Function
- Drum Clean To Keep the Drum and Laundry Clean
- Higher Door Handle for Your Easy Loading and Unloading
- Inverter Motor for Less Vibration , Less Noise and Less Energy Consumption

| MODEL | WFP1014V | WFP9014V | WFP8014V |
|--------------------------------|-----------------|-----------------|-----------------|
| Washing Capacity (KG) | 10 | 9 | 8 |
| Max Spin Speed (RPM) | 1400 | 1400 | 1400 |
| Energy Efficiency Class | A+++ | A+++ | A+++ |
| Net Dimensions (W × D × H mm) | 595 × 660 × 845 | 595 × 610 × 845 | 595 × 610 × 845 |
| Loading Capacity (Carton 40HC) | 138 | 159 | 159 |



H Series




Features

- 15 Automatic Programs
- Manual Or Auto Load Option, Eco and Convenience for Your Wash
- Big Intelligent LED Display
- Child Lock Function , More Safe for Children
- Flexible Wash Cycle for Your Convenience
- Super Quick Wash for Your Time Saving
- Automatic Electronic Balance Control
- Time Delay for Your Wash Convenience
- Unique Snowflake Drum System
- Self-diagnostic Fault-finding
- Drum Clean To Keep the Drum and Laundry Clean
- Higher Door Handle for Your Easy Loading and Unloading

| MODEL | WFH9014 | WFH8014 | WFH7014 |
|--------------------------------|-----------------|-----------------|-----------------|
| Washing Capacity (KG) | 9 | 8 | 7 |
| Max Spin Speed (RPM) | 1400 | 1400 | 1400 |
| Energy Efficiency Class | A+++ | A+++ | A+++ |
| Net Dimensions (W × D × H mm) | 595 × 610 × 845 | 595 × 610 × 845 | 595 × 515 × 845 |
| Loading Capacity (Carton 40HC) | 159 | 159 | 223 |




NH Series




Features

- 15 Automatic Programs
- Manual Or Auto Load Option, Eco and Convenience for Your Wash
- Big Intelligent LED Display
- Child Lock Function , More Safe for Children
- Flexible Wash Cycle for Your Convenience
- Super Quick Wash for Your Time Saving
- Automatic Electronic Balance Control
- Time Delay for Your Wash Convenience
- Unique Snowflake Drum System
- Self-diagnostic Fault-finding
- Drum Clean To Keep the Drum and Laundry Clean
- Higher Door Handle for Your Easy Loading and Unloading

| MODEL | WFNH9014 | WFNH7014 |
|--------------------------------|-----------------|-----------------|
| Washing Capacity (KG) | 9 | 7 |
| Max Spin Speed (RPM) | 1400 | 1400 |
| Energy Efficiency Class | A+++ | A+++ |
| Net Dimensions (W × D × H mm) | 595 × 610 × 845 | 595 × 515 × 845 |
| Loading Capacity (Carton 40HC) | 159 | 223 |



BJ1 Series




Features

- 16 Automatic Programs
- Intelligent LED Display
- Child Lock Function , More Safe for Children
- Flexible Wash Cycle for Your Convenience
- Super Quick Wash for Your Time Saving
- Automatic Electronic Balance Control
- Time Delay for Your Wash Convenience
- Unique Snowflake Drum System
- Self-diagnostic Fault-finding
- Higher Door Handle for Your Easy Loading and Unloading

| MODEL | WFBJ90141 | WFBJ90121 |
|--------------------------------|-----------------|-----------------|
| Washing Capacity (KG) | 9 | 9 |
| Max Spin Speed (RPM) | 1400 | 1200 |
| Energy Efficiency Class | A+++ | A+++ |
| Net Dimensions (W × D × H mm) | 595 × 610 × 845 | 595 × 610 × 845 |
| Loading Capacity (Carton 40HC) | 159 | 159 |



BJ Series




Features

- 12 Automatic Programs
- Intelligent LED Display
- Child Lock Function , More Safe for Children
- Flexible Wash Cycle for Your Convenience
- Super Quick Wash for Your Time Saving
- Automatic Electronic Balance Control
- Time Delay for Your Wash Convenience
- Unique Snowflake Drum System
- Self-diagnostic Fault-finding
- Higher Door Handle for Your Easy Loading and Unloading

| MODEL | WFBJ8014 | WFBJ8012 | WFBJ7014 | WFBJ7012 |
|--------------------------------|-----------------|-----------------|-----------------|-----------------|
| Washing Capacity (KG) | 8 | 8 | 7 | 7 |
| Max Spin Speed (RPM) | 1400 | 1200 | 1400 | 1200 |
| Energy Efficiency Class | A+++ | A+++ | A+++ | A+++ |
| Net Dimensions (W × D × H mm) | 595 × 610 × 845 | 595 × 610 × 845 | 595 × 520 × 850 | 595 × 520 × 850 |
| Loading Capacity (Carton 40HC) | 159 | 159 | 223 | 223 |



NJ1 Series




Features

- 16 Automatic Programs
- Intelligent LED Display
- Child Lock Function , More Safe for Children
- Flexible Wash Cycle for Your Convenience
- Super Quick Wash for Your Time Saving
- Automatic Electronic Balance Control
- Time Delay for Your Wash Convenience
- Unique Snowflake Drum System
- Self-diagnostic Fault-finding
- Higher Door Handle for Your Easy Loading and Unloading

| MODEL | WFNJ90141 | WFNJ90121 |
|--------------------------------|-----------------|-----------------|
| Washing Capacity (KG) | 9 | 9 |
| Max Spin Speed (RPM) | 1400 | 1200 |
| Energy Efficiency Class | A+++ | A+++ |
| Net Dimensions (W × D × H mm) | 595 × 610 × 845 | 595 × 610 × 845 |
| Loading Capacity (Carton 40HC) | 159 | 159 |



NJ Series




Features

- 12 Automatic Programs
- Intelligent LED Display
- Child Lock Function , More Safe for Children
- Flexible Wash Cycle for Your Convenience
- Super Quick Wash for Your Time Saving
- Automatic Electronic Balance Control
- Time Delay for Your Wash Convenience
- Unique Snowflake Drum System
- Self-diagnostic Fault-finding
- Higher Door Handle for Your Easy Loading and Unloading

| MODEL | WFNJ8014 | WFNJ8012 | WFNJ7014 | WFNJ7012 |
|--------------------------------|-----------------|-----------------|-----------------|-----------------|
| Washing Capacity (KG) | 8 | 8 | 7 | 7 |
| Max Spin Speed (RPM) | 1400 | 1200 | 1400 | 1200 |
| Energy Efficiency Class | A+++ | A+++ | A+++ | A+++ |
| Net Dimensions (W × D × H mm) | 595 × 610 × 845 | 595 × 610 × 845 | 595 × 515 × 845 | 595 × 515 × 845 |
| Loading Capacity (Carton 40HC) | 159 | 159 | 223 | 223 |



DJ1 Series




Features

- 12 Automatic Programs
- Intelligent LED Display
- Child Lock Function , More Safe for Children
- Flexible Wash Cycle for Your Convenience
- Super Quick Wash for Your Time Saving
- Automatic Electronic Balance Control
- Time Delay for Your Wash Convenience
- Self-diagnostic Fault-finding
- Higher Door Handle for Your Easy Loading and Unloading

| MODEL | WFDJ90121 | WFDJ80121 | WFDJ70121 |
|-------------------------------------|-----------------|-----------------|-----------------|
| Washing Capacity (KG) | 9 | 8 | 7 |
| Max Spin Speed (RPM) | 1200 | 1200 | 1200 |
| Energy Efficiency Class | A+++ | A+++ | A+++ |
| Net Dimensions (W × D × H mm) | 595 × 600 × 850 | 595 × 600 × 850 | 595 × 460 × 850 |
| Loading Capacity (Carton 40HC) | 162 | 162 | 230 |
| Loading Capacity (Shrink Film 40HC) | 162 | 162 | 246 |




LJ1 Series




Features

- 12 Automatic Programs
- Intelligent LED Display
- Child Lock Function , More Safe for Children
- Flexible Wash Cycle for Your Convenience
- Super Quick Wash for Your Time Saving
- Automatic Electronic Balance Control
- Time Delay for Your Wash Convenience
- Self-diagnostic Fault-finding
- Higher Door Handle for Your Easy Loading and Unloading

| MODEL | WFLJ90121 | WFLJ80121 | WFLJ70121 |
|-------------------------------------|-----------------|-----------------|-----------------|
| Washing Capacity (KG) | 9 | 8 | 7 |
| Max Spin Speed (RPM) | 1200 | 1200 | 1200 |
| Energy Efficiency Class | A+++ | A+++ | A+++ |
| Net Dimensions (W × D × H mm) | 595 × 600 × 850 | 595 × 600 × 850 | 595 × 460 × 845 |
| Loading Capacity (Carton 40HC) | 162 | 162 | 230 |
| Loading Capacity (Shrink Film 40HC) | 162 | 162 | 246 |



XE Series



Features

- 8 Automatic Programs
- Child Lock Function
- Super Quick Wash
- Time Delay Function for Your Time Saving.
- Self-diagnostic Fault-finding
- Wash Time Remaining Indicator
- Smart Spin Imbalance Control

| MODEL | WFXE8012 | WFXE7012 | WFXE6012 |
|-------------------------------------|-----------------|-----------------|-----------------|
| Washing Capacity (KG) | 8 | 7 | 6 |
| Max Spin Speed (RPM) | 1200 | 1200 | 1200 |
| Energy Efficiency Class | A+++ | A+++ | A+++ |
| Net Dimensions (W × D × H mm) | 595 × 600 × 850 | 595 × 450 × 850 | 595 × 450 × 850 |
| Loading Capacity (Carton 40HC) | 162 | 249 | 249 |
| Loading Capacity (Shrink Film 40HC) | 162 | 249 | 249 |

TOP LOAD

Perfection Just Got Better





3D Hand Wash

Gentle Care Technology



Unique Anti-Tangle Windmill Impeller Design

The impeller with large blades and higher axis can generate a special strong water flow. Thanks to the water flow, clothes are moved around more efficiently enhancing cleaning performance.



3D Hand Wash Cycle for Extra Care

Hisense 3D hand wash technology can automatically adjust the rotation strength of the impeller in a forward direction and the drum in a opposite direction to create a hand washing effect. like hand wash, a thorough cleaning with no harm to the fabric is achieved.



Smart Technology Simpler Life



3D Windmill Impeller

The 3D Windmill Impeller's higher axis creates intensive water flow that lets your clothes move around more efficiently to improve wash performance and reduce tangling.



Bubble Clean

Hisense's bubble clean detergent box has a maze-like structure that facilitates dissolving and activation of the detergent, generating the bubbles that penetrate deep into the fabric fibers to remove stains.



Power Jet Wash

Power Jet Wash enhances water flow to help your clothes absorb the detergent faster to start to the wash process sooner.



Smart Fuzzy Logic Control

Thanks to the smart fuzzy logic control technology, the washer can detect and measure the laundry automatically, and then optimize the washing conditions to save water and washing time.




Smart Memory to Save Customized Wash Cycles

To make wash program selection much easier to use, the washer can save the customized wash cycles, which can be recalled by a single button.



Smart Time Delay for Time savings

When the wash ends can be delayed according to the user's choice. A fresh and clean load will be finished on time when you want it. So your clothes will smell fresh.



10 Precision Water Level Selections

10 choices of water level to fit the size of your wash load, saving time and water while keeping your energy costs down.



Control Panel Lock Safe for Children

Control panel lock can prevent disruption to the wash cycle caused by a child's accidental inputs, an important safety feature for children.



Two-Step Ultra-Clean Wash

Lower water intake with high concentrated detergent removes stains in a powerful wash during the first step. After about 3 minutes, water will be filled to the preset water level during the second step's power wash.



Mini Wash

Mini wash with lower water and power consumption is suitable for small quantity of clothes in an eco-friendly way.

More Consumer-Oriented Technology



Wide Water Pressure Range



Auto Power Off



Wide Voltage Range




Extra Rinse

The washing machine will add one more rinse process when you choose the extra rinse, it can rinse the clothes more thoroughly.




Aqua Preserve

The washer will keep the water after the last rinse, then you can reuse the water. This aqua preserve performance saves water and energy while helping minimize your footprint on the environment.



Tub Clean

Tub clean cycle thoroughly cleans the grime hidden in the tub, and keeps your washer clean and fresh.



Self-Diagnostic Fault-Finding

The unit will self-detect incorrect usage or product malfunction and show the error code on its display. Find the error code in the manual to see the proper fix.



Smart Spin Imbalance Adjustment

The washing machine will automatically detect when the laundry is out of balance and re-balance it.



Air Dry

Air Dry sucks the excess water from your clothes through the inner wind circle, which allows for faster drying. You can get nearly wrinkle free clothes from your top load washing machine for when you're short on time.



Night Wash

During the night wash, the washing machine is equipped with a sound insulating that dramatically reduces the noise and turns off the buzzer that sounds when your wash ends.

TOP LOAD



OQ Series
WTOQ162S >
NEW



OQ Series
WTOQ122S >
NEW



QG Series
WTQG901VAWC >



QG Series
WTQG801VAWT >



LW Series
WTLW801C >
NEW



DW Series
WTDW801C >
NEW



C Series
WTCS901G >



C Series
WTCF801G >



C Series
WTCT701G >



N Series
WTNJ751 >




B Series
WTBH551B >



B Series
WTBU551 >



OQ Series



Features


- Smart Fuzzy Logic Control Technology
- Time Remaining Indicator
- Self-programming Function, More Convenient for Washing
- Extra Rinse Function
- Tub Self-clean Function
- 10 Water Level Selection, Water and Energy Saving
- Child Lock Function, More Safe for Children
- Time Delay Function for Your Time Saving
- Automatically Power Off Function
- Self-diagnostic Fault-finding

| MODEL | WTOQ162S | WTOQ122S |
|--------------------------------|------------------|-----------------|
| Washing Capacity (KG) | 16 | 12 |
| Net Dimensions (W × D × H mm) | 685 × 700 × 1070 | 605 × 640 × 995 |
| Loading Capacity (Carton 40HC) | 96 | 102 |



QG Series

WTQG901VAWC




Features

- Inverter Motor
- Smart Fuzzy Logic Control Technology
- Power Jet Wash
- Toughened Glass Door
- Big Intelligent Led Screen
- Hand Wash Function
- Time Remaining Indicator
- Multi Water Level Selection, Water and Energy Saving
- Child Lock Function, More Safe for Children
- Automatically Power Off Function

| MODEL | WTQG901VAWC |
|--------------------------------|-----------------|
| Washing Capacity (KG) | 9 |
| Net Dimensions (W × D × H mm) | 580 × 590 × 990 |
| Loading Capacity (Carton 40HC) | 102 |



QG Series WTQG801VAWT



Features


- Inverter Motor
- Hismart Control
- Smart Fuzzy Logic Control Technology
- Power Jet Wash
- Toughened Glass Door
- Big Intelligent Led Screen
- Hand Wash Function
- Time Remaining Indicator
- Multi Water Level Selection, Water and Energy Saving
- Child Lock Function, More Safe for Children
- Automatically Power Off Function

| MODEL | WTQG801VAWT |
|--------------------------------|-----------------|
| Washing Capacity (KG) | 8 |
| Net Dimensions (W × D × H mm) | 550 × 560 × 980 |
| Loading Capacity (Carton 40HC) | 108 |



LW Series

WTLW801C



Features


- Smart Fuzzy Logic Control Technology
- Power Jet Wash
- toughen Glass Door
- Big Intelligent LED Screen
- Hand Wash Function
- Time remaining indicator
- Multi Water level selection, water and energy saving
- Child lock function, more safe for children

| MODEL | WTLW801C |
|--------------------------------|-----------------|
| Washing Capacity (KG) | 8 |
| Net Dimensions (W × D × H mm) | 550 × 580 × 980 |
| Loading Capacity (Carton 40HC) | 147 |



DW Series

WTDW801C



Features


- Smart fuzzy logic control technology
- Time remaining indicator
- Self-programming function, more convenient for washing.
- Extra rinse function
- Tub self-clean function
- 8 water level selection, water and energy saving.
- Child lock function, more safe for children.
- Time delay function for your time saving.
- Automatically power off function.
- Self-diagnostic fault-finding.

| MODEL | WTDW801C |
|--------------------------------|-----------------|
| Washing Capacity (KG) | 8 |
| Net Dimensions (W × D × H mm) | 532 × 532 × 950 |
| Loading Capacity (Carton 40HC) | 147 |



C Series

WTCS901G



Features


- Smart Fuzzy Logic Control Technology
- Time Remaining Indicator
- Self-programming Function, More Convenient for Washing
- Extra Rinse Function
- Tub Self-clean Function
- 8 Water Level Selection, Water and Energy Saving
- Child Lock Function, More Safe for Children
- Time Delay Function for Your Time Saving
- Automatically Power Off Function
- Self-diagnostic Fault-finding

| MODEL | WTCS901G |
|--------------------------------|-----------------|
| Washing Capacity (KG) | 9 |
| Net Dimensions (W × D × H mm) | 580 × 590 × 968 |
| Loading Capacity (Carton 40HC) | 102 |



C Series

WTCF801G



Features


- Smart Fuzzy Logic Control Technology
- Time Remaining Indicator
- Self-programming Function, More Convenient for Washing
- Extra Rinse Function
- Tub Self-clean Function
- 8 Water Level Selection, Water and Energy Saving
- Child Lock Function, More Safe for Children
- Time Delay Function for Your Time Saving
- Automatically Power Off Function
- Self-diagnostic Fault-finding

| MODEL | WTCF801G |
|--------------------------------|-----------------|
| Washing Capacity (KG) | 8 |
| Net Dimensions (W × D × H mm) | 556 × 566 × 968 |
| Loading Capacity (Carton 40HC) | 108 |



C Series

WTCT701G



Features


- Smart Fuzzy Logic Control Technology
- Time Remaining Indicator
- Self-programming Function, More Convenient for Washing
- Extra Rinse Function
- Tub Self-clean Function
- 8 Water Level Selection, Water and Energy Saving
- Child Lock Function, More Safe for Children
- Time Delay Function for Your Time Saving
- Automatically Power Off Function
- Self-diagnostic Fault-finding
- Double Water Inlet and Pump Is Optional

| MODEL | WTCT701G |
|--------------------------------|-----------------|
| Washing Capacity (KG) | 7 |
| Net Dimensions (W × D × H mm) | 532 × 532 × 950 |
| Loading Capacity (Carton 40HC) | 147 |



N Series

WTNJ751



Features


- Time remaining indicator
- 6 water level selection, water and energy saving .
- Child lock function,more safe for children.
- Automatically power off function.
- Self-diagnostic fault-finding
- Air Dry function

| MODEL | WTNJ751 |
|--------------------------------|-----------------|
| Washing Capacity (KG) | 7.5 |
| Net Dimensions (W × D × H mm) | 530 × 560 × 990 |
| Loading Capacity (Carton 40HC) | 160 |



B Series

WTBH551B



Features


- Time Remaining Indicator
- 8 Water Level Selection, Water and Energy Saving .
- Child Lock Function,More Safe for Children.
- Automatically Power Off Function.
- Self-diagnostic Fault-finding
- Air Dry Function

| MODEL | WTBH551B |
|--------------------------------|-----------------|
| Washing Capacity (KG) | 5.5 |
| Net Dimensions (W × D × H mm) | 500 × 510 × 900 |
| Loading Capacity (Carton 40HC) | 160 |



B Series

WTBU551



Features

- Time Remaining Indicator
- 8 Water Level Selection, Water and Energy Saving .
- Child Lock Function,More Safe for Children.
- Automatically Power Off Function.
- Self-diagnostic Fault-finding
- Air Dry Function

| MODEL | WTBU551 |
|--------------------------------|-----------------|
| Washing Capacity (KG) | 5.5 |
| Net Dimensions (WxDxH mm) | 500 × 510 × 900 |
| Loading Capacity (Carton 40HC) | 160 |

TWIN TUB

Perfection Just Got Better



TWIN TUB WASHING MACHINES



WSC121 >



WSA101 >



WSB901 >



WSA701 >



WSC121



Features

- Classical Design
- Spin-dry Shower
- Water Inlet Selector
- Lint Filter

| MODEL | WSC121 |
|--------------------------------|------------------|
| Washing/Spinning Capacity (KG) | 12 / 7 |
| Net Dimensions (W × D × H mm) | 940 × 540 × 1050 |
| Loading Capacity (Carton 40HC) | 120 |



WSA101



Features

- Classical Design
- Spin-dry Shower
- Water Inlet Selector
- Lint Filter

| MODEL | WSA101 |
|--------------------------------|-----------------|
| Washing/Spinning Capacity (KG) | 10/ 6.5 |
| Net Dimensions (W × D × H mm) | 854 × 490 × 956 |
| Loading Capacity (Carton 40HC) | 144 |



WSB901



Features

- Classical Design
- Spin-dry Shower
- Water Inlet Selector
- Lint Filter

| MODEL | WSB901 |
|--------------------------------|-----------------|
| Washing/Spinning Capacity (KG) | 9/ 6.5 |
| Net Dimensions (W × D × H mm) | 806 × 460 × 914 |
| Loading Capacity (Carton 40HC) | 154 |



WSA701



Features

- Classical Design
- Spin-dry Shower
- Water Inlet Selector
- Lint Filter

| MODEL | WSA701 |
|--------------------------------|-----------------|
| Washing/Spinning Capacity (KG) | 7/5 |
| Net Dimensions (W × D × H mm) | 758 × 436 × 910 |
| Loading Capacity (Carton 40HC) | 184 |



SPECIFICATION

HA

VA

TWIN TUB

Specification

HA

| Model | WFES1214VAW | WDBL1014V | WFBL9014V | WFBL8014V | WFBL7014V |
|--|-------------------------|----------------------------|----------------------------|----------------------------|----------------------------|
| Cabinet Colour | Gold | White (Silver is optional) | White (Silver is optional) | White (Silver is optional) | White (Silver is optional) |
| Display | TFT | LED | LED | LED | LED |
| Built in/Free standing | Free Standing | Free Standing | Free Standing | Free Standing | Free Standing |
| Water Pressure (Mpa) | 0.1-1 | 0.1-1 | 0.1-1 | 0.1-1 | 0.1-1 |
| Supply Voltage (V/Hz) | 220-240/50 | 220-240/50 | 220-240/50 | 220-240/50 | 220-240/50 |
| Washing capacity (KG) | 10+1+1 | 10 | 9 | 8 | 7 |
| Drying Capacity(KG) | 0 | 7 | 0 | 0 | 0 |
| Max Temperature Option (C) | 95 | 95 | 95 | 95 | 95 |
| Max Spin Speed Option(RPM) | 1400 | 1400 | 1400 | 1400 | 1400 |
| End User Comfort | | | | | |
| Spin Speed Option | √ | √ | √ | √ | √ |
| Buttons | Touch | Push Buttons | Push buttons | Push buttons | Push buttons |
| Tub/Drum Material | Plastic/Stainless Steel | Plastic/Stainless Steel | Plastic/Stainless Steel | Plastic/Stainless Steel | Plastic/Stainless Steel |
| Memory Backup | √ | √ | √ | √ | √ |
| Safety System | | | | | |
| Anti-foam sensor system | √ | √ | √ | √ | √ |
| Electronic Spin Speed Management | √ | √ | √ | √ | √ |
| Balance control | √ | √ | √ | √ | √ |
| Features | | | | | |
| Number Programs | 21+8+8 | 18 | 16 | 16 | 16 |
| Inverter | √ | √ | √ | √ | √ |
| Snowflake Drum | √ | √ | √ | √ | √ |
| Auto Dosing | √ | - | - | - | - |
| Pause & Add | √ | √ | √ | √ | √ |
| Power Jet Wash | √ | - | - | - | - |
| Hismart | √ | - | - | - | - |
| One Press Smart Wash | - | - | - | - | - |
| Soil Sensor | - | - | - | - | - |
| Child Lock | √ | √ | √ | √ | √ |
| Favourite | - | - | √ | √ | √ |
| Time Delay | √ | √ | √ | √ | √ |
| Load Option | - | - | - | - | - |
| Big Size Door Design | √ | √ | √ | √ | √ |
| Performance (Standard . 2010/1061/EC) | | | | | |
| Energy Efficiency Class | A+++ | A | A+++ | A+++ | A+++ |
| Spin Drying Performance Class | B | B | B | B | B |
| Dimensions | | | | | |
| Net Dimensions W × D × H (mm) | 595 × 680 × 1170 | 595 × 660 × 845 | 595 × 610 × 845 | 595 × 610 × 845 | 595 × 520 × 850 |
| Loading capacity (Carton)(40HC) | Not Available | 138 | 159 | 159 | 223 |
| Loading capacity (Shrink Film)(40HC) | Not Available | Not Available | Not Available | Not Available | Not Available |

1、Remark: The specification is for basic model, just for reference if the product design change. 2、"√" Yes, model has this feature. "-" Feature not available for this model.

Specification

HA

| Model | WFHM(HV)9014 | WFHM(HV)8012 | WFHM(HV)7014 | WFHM(HV)6012 |
|--|----------------------------|----------------------------|----------------------------|----------------------------|
| Cabinet Colour | White (Silver is optional) | White (Silver is optional) | White (Silver is optional) | White (Silver is optional) |
| Display | LED | LED | LED | LED |
| Built in/Free standing | Free Standing | Free Standing | Free Standing | Free Standing |
| Water Pressure (Mpa) | 0.1-1 | 0.1-1 | 0.1-1 | 0.1-1 |
| Supply Voltage (V/Hz) | 220-240/50 | 220-240/50 | 220-240/50 | 220-240/50 |
| Washing capacity (KG) | 9 | 8 | 7 | 6 |
| Max Temperature Option (°C) | 95 | 95 | 95 | 95 |
| Max Spin Speed Option(RPM) | 1400 | 1200 | 1400 | 1200 |
| End User Comfort | | | | |
| Spin Speed Option | √ | √ | √ | √ |
| Buttons | Push buttons | Push buttons | Push buttons | Push buttons |
| Tub/Drum Material | Plastic/Stainless Steel | Plastic/Stainless Steel | Plastic/Stainless Steel | Plastic/Stainless Steel |
| Memory Backup | √ | √ | √ | √ |
| Safety System | | | | |
| Anti-foam sensor system | √ | √ | √ | √ |
| Electronic Spin Speed Management | √ | √ | √ | √ |
| Balance control | √ | √ | √ | √ |
| Features | | | | |
| Number Programs | 16 | 16 | 16 | 16 |
| Inverter | - | - | - | - |
| Snowflake Drum | √ | √ | √ | √ |
| Auto Dosing | - | - | - | - |
| Pause & Add | - | - | - | - |
| Power Jet Wash | - | - | - | - |
| Hismart | - | - | - | - |
| One Press Smart Wash | - | - | - | - |
| Soil Sensor | - | - | - | - |
| Child Lock | √ | yes | √ | √ |
| Favourite | - | - | - | - |
| Time Delay | √ | √ | √ | √ |
| Load Option | - | - | - | - |
| Big Size Door Design | - | - | - | - |
| Performance (Standard No. 2010/1061/EC) | | | | |
| Energy Efficiency Class | A+++ | A+++ | A+++ | A+++ |
| Spin Drying Performance Class | B | B | B | B |
| Dimensions | | | | |
| Net Dimensions W × D × H (mm) | 595 × 600 × 850 | 595 × 600 × 850 | 595 × 460 × 850 | 595 × 460 × 850 |
| Loading capacity (Carton)(40HC) | 162 | 162 | 230 | 230 |
| Loading capacity (Shrink Film)(40HC) | 162 | 162 | 246 | 246 |

1、Remark: The specification is for basic model, just for reference if the product design change. 2、"√" Yes, model has this feature. "-" Feature not available for this model.

Specification

HA

| Model | WFEH1014VJ | WFEH1014VA | WFP1014V | WFP9014V |
|--|----------------------------|----------------------------|----------------------------|----------------------------|
| Cabinet Colour | White (Silver is optional) | White (Silver is optional) | White (Silver is optional) | White (Silver is optional) |
| Display | LED | LED | LED | LED |
| Built in/Free standing | Free Standing | Free Standing | Free Standing | Free Standing |
| Water Pressure (Mpa) | 0.1-1 | 0.1-1 | 0.1-1 | 0.1-1 |
| Supply Voltage (V/Hz) | 220-240/50 | 220-240/50 | 220-240/50 | 220-240/50 |
| Washing capacity (KG) | 10 | 10 | 10 | 9 |
| Max Temperature Option (°C) | 95 | 95 | 95 | 95 |
| Max Spin Speed Option(RPM) | 1400 | 1400 | 1400 | 1400 |
| End User Comfort | | | | |
| Spin Speed Option | √ | √ | √ | √ |
| Buttons | Push Buttons | Touch Button | Touch Button | Touch Button |
| Tub/Drum Material | Plastic/Stainless Steel | Plastic/Stainless Steel | Plastic/Stainless Steel | Plastic/Stainless Steel |
| Memory Backup | √ | √ | √ | √ |
| Safety System | | | | |
| Anti-foam sensor system | √ | √ | √ | √ |
| Electronic Spin Speed Management | √ | √ | √ | √ |
| Balance control | √ | √ | √ | √ |
| Features | | | | |
| Number Programs | 18 | 18 | 16 | 16 |
| Inverter | √ | √ | √ | √ |
| Snowflake Drum | √ | √ | √ | √ |
| Auto Dosing | - | - | - | - |
| Pause & Add | √ | √ | √ | √ |
| Power Jet Wash | √ | - | - | - |
| Hismart | √ | - | - | - |
| One Press Smart Wash | - | - | - | - |
| Soil Sensor | - | - | - | - |
| Child Lock | √ | √ | √ | √ |
| Favourite | - | - | - | - |
| Time Delay | √ | √ | √ | √ |
| Load Option | - | - | - | - |
| Big Size Door Design | √ | √ | √ | √ |
| Performance (Standard No. 2010/1061/EC) | | | | |
| Energy Efficiency Class | A+++ | A+++ | A+++ | A+++ |
| Spin Drying Performance Class | B | B | B | B |
| Dimensions | | | | |
| Net Dimensions W × D × H (mm) | 595 × 660 × 845 | 595 × 660 × 845 | 595 × 660 × 845 | 595 × 610 × 845 |
| Loading capacity (Carton)(40HC) | 138 | 138 | 138 | 159 |
| Loading capacity (Shrink Film)(40HC) | Not Available | Not Available | Not Available | Not Available |

1、Remark: The specification is for basic model, just for reference if the product design change. 2、"√" Yes, model has this feature. "-" Feature not available for this model.

Specification

HA

| Model | WFP8014V | WFH9014 | WFH8014 | WFH7014 |
|--|----------------------------|----------------------------|----------------------------|----------------------------|
| Cabinet Colour | White (Silver is optional) | White (Silver is optional) | White (Silver is optional) | White (Silver is optional) |
| Display | LED | LED | LED | LED |
| Built in/Free standing | Free Standing | Free Standing | Free Standing | Free Standing |
| Water Pressure (Mpa) | 0.1-1 | 0.1-1 | 0.1-1 | 0.1-1 |
| Supply Voltage (V/Hz) | 220-240/50 | 220-240/50 | 220-240/50 | 220-240/50 |
| Washing capacity (KG) | 8 | 9 | 8 | 7 |
| Max Temperature Option (°C) | 95 | 95 | 95 | 95 |
| Max Spin Speed Option(RPM) | 1400 | 1400 | 1400 | 1400 |
| End User Comfort | | | | |
| Spin Speed Option | √ | √ | √ | √ |
| Buttons | Touch Button | Push buttons | Push buttons | Push buttons |
| Tub/Drum Material | Plastic/Stainless Steel | Plastic/Stainless Steel | Plastic/Stainless Steel | Plastic/Stainless Steel |
| Memory Backup | √ | √ | √ | √ |
| Safety System | | | | |
| Anti-foam sensor system | √ | √ | √ | √ |
| Electronic Spin Speed Management | √ | √ | √ | √ |
| Balance control | √ | √ | √ | √ |
| Features | | | | |
| Number Programs | 16 | 15 | 15 | 15 |
| Inverter | √ | √ | √ | √ |
| Snowflake Drum | √ | √ | √ | √ |
| Auto Dosing | - | - | - | - |
| Pause & Add | √ | √ | √ | √ |
| Power Jet Wash | - | - | - | - |
| Hismart | - | - | - | - |
| One Press Smart Wash | - | - | - | - |
| Soil Sensor | - | - | - | - |
| Child Lock | √ | √ | √ | √ |
| Favourite | - | - | - | - |
| Time Delay | √ | √ | √ | √ |
| Load Option | - | √ | √ | √ |
| Big Size Door Design | √ | √ | √ | √ |
| Performance (Standard No. 2010/1061/EC) | | | | |
| Energy Efficiency Class | A+++ | A+++ | A+++ | A+++ |
| Spin Drying Performance Class | B | B | B | B |
| Dimensions | | | | |
| Net Dimensions W × D × H (mm) | 595 × 610 × 845 | 595 × 610 × 845 | 595 × 610 × 845 | 595 × 515 × 845 |
| Loading capacity (Carton)(40HC) | 159 | 159 | 159 | 223 |
| Loading capacity (Shrink Film)(40HC) | Not Available | Not Available | Not Available | Not Available |

1、Remark: The specification is for basic model, just for reference if the product design change. 2、"√" Yes, model has this feature. "-" Feature not available for this model.

Specification

HA

| Model | WFNH9014 | WFNH7014 | WFBJ90141 | WFBJ90121 |
|--|----------------------------|----------------------------|----------------------------|----------------------------|
| Cabinet Colour | White (Silver is optional) | White (Silver is optional) | White (Silver is optional) | White (Silver is optional) |
| Display | LED | LED | LED | LED |
| Built in/Free standing | Free Standing | Free Standing | Free Standing | Free Standing |
| Water Pressure (Mpa) | 0.1-1 | 0.1-1 | 0.1-1 | 0.1-1 |
| Supply Voltage (V/Hz) | 220-240/50 | 220-240/50 | 220-240/50 | 220-240/50 |
| Washing capacity (KG) | 9 | 7 | 9 | 9 |
| Max Temperature Option (°C) | 95 | 95 | 95 | 95 |
| Max Spin Speed Option(RPM) | 1400 | 1400 | 1400 | 1200 |
| End User Comfort | | | | |
| Spin Speed Option | √ | √ | √ | √ |
| Buttons | Push buttons | Push buttons | Push buttons | Push buttons |
| Tub/Drum Material | Plastic/Stainless Steel | Plastic/Stainless Steel | Plastic/Stainless Steel | Plastic/Stainless Steel |
| Memory Backup | √ | √ | √ | √ |
| Safety System | | | | |
| Anti-foam sensor system | √ | √ | √ | √ |
| Electronic Spin Speed Management | √ | √ | √ | √ |
| Balance control | √ | √ | √ | √ |
| Features | | | | |
| Number Programs | 15 | 15 | 16 | 16 |
| Inverter | - | - | - | - |
| Snowflake Drum | √ | √ | √ | √ |
| Auto Dosing | - | - | - | - |
| Pause & Add | - | - | - | - |
| Power Jet Wash | - | - | - | - |
| Hismart | - | - | - | - |
| One Press Smart Wash | - | - | - | - |
| Soil Sensor | - | - | - | - |
| Child Lock | √ | √ | √ | √ |
| Favourite | - | - | - | - |
| Time Delay | √ | √ | √ | √ |
| Load Option | - | - | - | - |
| Big Size Door Design | √ | √ | √ | √ |
| Performance (Standard No. 2010/1061/EC) | | | | |
| Energy Efficiency Class | A+++ | A+++ | A+++ | A+++ |
| Spin Drying Performance Class | B | B | B | B |
| Dimensions | | | | |
| Net Dimensions W × D × H (mm) | 595 × 610 × 845 | 595 × 515 × 845 | 595 × 610 × 845 | 595 × 610 × 845 |
| Loading capacity (Carton)(40HC) | 159 | 223 | 159 | 159 |
| Loading capacity (Shrink Film)(40HC) | Not Available | Not Available | Not Available | Not Available |

1、Remark: The specification is for basic model, just for reference if the product design change. 2、"√" Yes, model has this feature. "-" Feature not available for this model.

Specification

HA

| Model | WFBJ8014 | WFBJ8012 | WFBJ7014 | WFBJ7012 |
|--|----------------------------|----------------------------|----------------------------|----------------------------|
| Cabinet Colour | White (Silver is optional) | White (Silver is optional) | White (Silver is optional) | White (Silver is optional) |
| Display | LED | LED | LED | LED |
| Built in/Free standing | Free Standing | Free Standing | Free Standing | Free Standing |
| Water Pressure (Mpa) | 0.1-1 | 0.1-1 | 0.1-1 | 0.1-1 |
| Supply Voltage (V/Hz) | 220-240/50 | 220-240/50 | 220-240/50 | 220-240/50 |
| Washing capacity (KG) | 8 | 8 | 7 | 7 |
| Max Temperature Option (°C) | 95 | 95 | 95 | 95 |
| Max Spin Speed Option(RPM) | 1400 | 1200 | 1400 | 1200 |
| End User Comfort | | | | |
| Spin Speed Option | √ | √ | √ | √ |
| Buttons | Push buttons | Push buttons | Push buttons | Push buttons |
| Tub/Drum Material | Plastic/Stainless Steel | Plastic/Stainless Steel | Plastic/Stainless Steel | Plastic/Stainless Steel |
| Memory Backup | √ | √ | √ | √ |
| Safety System | | | | |
| Anti-foam sensor system | √ | √ | √ | √ |
| Electronic Spin Speed Management | √ | √ | √ | √ |
| Balance control | √ | √ | √ | √ |
| Features | | | | |
| Number Programs | 12 | 12 | 12 | 12 |
| Inverter | - | - | - | - |
| Snowflake Drum | √ | √ | √ | √ |
| Auto Dosing | - | - | - | - |
| Pause & Add | - | - | - | - |
| Power Jet Wash | - | - | - | - |
| Hismart | - | - | - | - |
| One Press Smart Wash | - | - | - | - |
| Soil Sensor | - | - | - | - |
| Child Lock | √ | √ | √ | √ |
| Favourite | - | - | - | - |
| Time Delay | √ | √ | √ | √ |
| Load Option | - | - | - | - |
| Big Size Door Design | √ | √ | √ | √ |
| Performance (Standard No. 2010/1061/EC) | | | | |
| Energy Efficiency Class | A+++ | A+++ | A+++ | A+++ |
| Spin Drying Performance Class | B | B | B | B |
| Dimensions | | | | |
| Net Dimensions W × D × H (mm) | 595 × 610 × 845 | 595 × 610 × 845 | 595 × 520 × 850 | 595 × 520 × 850 |
| Loading capacity (Carton)(40HC) | 159 | 159 | 223 | 223 |
| Loading capacity (Shrink Film)(40HC) | Not Available | Not Available | Not Available | Not Available |

1、Remark: The specification is for basic model, just for reference if the product design change. 2、"√" Yes, model has this feature. "-" Feature not available for this model.

Specification

HA

| Model | WFNJ90141 | WFNJ90121 | WFNJ8014 | WFNJ8012 | WFNJ7014 |
|--|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|
| Cabinet Colour | White (Silver is optional) | White (Silver is optional) | White (Silver is optional) | White (Silver is optional) | White (Silver is optional) |
| Display | LED | LED | LED | LED | LED |
| Built in/Free standing | Free Standing | Free Standing | Free Standing | Free Standing | Free Standing |
| Water Pressure (Mpa) | 0.1-1 | 0.1-1 | 0.1-1 | 0.1-1 | 0.1-1 |
| Supply Voltage (V/Hz) | 220-240/50 | 220-240/50 | 220-240/50 | 220-240/50 | 220-240/50 |
| Washing capacity (KG) | 9 | 9 | 8 | 8 | 7 |
| Max Temperature Option (°C) | 95 | 95 | 95 | 95 | 95 |
| Max Spin Speed Option(RPM) | 1400 | 1200 | 1400 | 1200 | 1400 |
| End User Comfort | | | | | |
| Spin Speed Option | √ | √ | √ | √ | √ |
| Buttons | Push buttons | Push buttons | Push buttons | Push buttons | Push buttons |
| Tub/Drum Material | Plastic/Stainless Steel | Plastic/Stainless Steel | Plastic/Stainless Steel | Plastic/Stainless Steel | Plastic/Stainless Steel |
| Memory Backup | √ | √ | √ | √ | √ |
| Safety System | | | | | |
| Anti-foam sensor system | √ | √ | √ | √ | √ |
| Electronic Spin Speed Management | √ | √ | √ | √ | √ |
| Balance control | √ | √ | √ | √ | √ |
| Features | | | | | |
| Number Programs | 16 | 16 | 12 | 12 | 12 |
| Inverter | - | - | - | - | - |
| Snowflake Drum | √ | √ | √ | √ | √ |
| Auto Dosing | - | - | - | - | - |
| Pause & Add | - | - | - | - | - |
| Power Jet Wash | - | - | - | - | - |
| Hismart | - | - | - | - | - |
| One Press Smart Wash | - | - | - | - | - |
| Soil Sensor | - | - | - | - | - |
| Child Lock | √ | √ | √ | √ | √ |
| Favourite | - | - | - | - | - |
| Time Delay | √ | √ | √ | √ | √ |
| Load Option | - | - | - | - | - |
| Big Size Door Design | √ | √ | √ | √ | √ |
| Performance (Standard No. 2010/1061/EC) | | | | | |
| Energy Efficiency Class | A+++ | A+++ | A+++ | A+++ | A+++ |
| Spin Drying Performance Class | B | B | B | B | B |
| Dimensions | | | | | |
| Net Dimensions W × D × H (mm) | 595 × 610 × 845 | 595 × 610 × 845 | 595 × 610 × 845 | 595 × 610 × 845 | 595 × 515 × 845 |
| Loading capacity (Carton)(40HC) | 159 | 159 | 159 | 159 | 223 |
| Loading capacity (Shrink Film)(40HC) | Not Available | Not Available | Not Available | Not Available | Not Available |

1、Remark: The specification is for basic model, just for reference if the product design change. 2、"√" Yes, model has this feature. "-" Feature not available for this model.

Specification

HA

| Model | WFNJ7012 | WFDJ90121 | WFDJ80121 | WFDJ70121 | WFLJ90121 |
|--|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|
| Cabinet Colour | White (Silver is optional) | White (Silver is optional) | White (Silver is optional) | White (Silver is optional) | White (Silver is optional) |
| Display | LED | LED | LED | LED | LED |
| Built in/Free standing | Free Standing | Free Standing | Free Standing | Free Standing | Free Standing |
| Water Pressure (Mpa) | 0.1-1 | 0.1-3 | 0.1-2 | 0.1-1 | 0.1-3 |
| Supply Voltage (V/Hz) | 220-240/50 | 220-240V/52Hz | 220-240V/51Hz | 220-240V/50Hz | 220-240V/52Hz |
| Washing capacity (KG) | 7 | 9 | 8 | 7 | 9 |
| Max Temperature Option (°C) | 95 | 95 | 95 | 95 | 95 |
| Max Spin Speed Option(RPM) | 1200 | 1200 | 1200 | 1200 | 1200 |
| End User Comfort | | | | | |
| Spin Speed Option | √ | √ | √ | √ | √ |
| Buttons | Push buttons | Push buttons | Push buttons | Push buttons | Push buttons |
| Tub/Drum Material | Plastic/Stainless Steel | Plastic/Stainless Steel | Plastic/Stainless Steel | Plastic/Stainless Steel | Plastic/Stainless Steel |
| Memory Backup | yes | √ | √ | √ | √ |
| Safety System | | | | | |
| Anti-foam sensor system | √ | √ | √ | √ | √ |
| Electronic Spin Speed Management | √ | √ | √ | √ | √ |
| Balance control | √ | √ | √ | √ | √ |
| Features | | | | | |
| Number Programs | 12 | 16 | 16 | 12 | 16 |
| Inverter | - | - | - | - | - |
| Snowflake Drum | √ | √ | √ | - | √ |
| Auto Dosing | - | - | - | - | - |
| Pause & Add | - | - | - | - | - |
| Power Jet Wash | - | - | - | - | - |
| Hismart | - | - | - | - | - |
| One Press Smart Wash | - | - | - | - | - |
| Soil Sensor | - | - | - | - | - |
| Child Lock | √ | √ | √ | √ | √ |
| Favourite | - | - | - | - | - |
| Time Delay | √ | √ | √ | √ | √ |
| Load Option | - | - | - | - | - |
| Big Size Door Design | √ | - | - | - | - |
| Performance (Standard No. 2010/1061/EC) | | | | | |
| Energy Efficiency Class | A+++ | A+++ | A+++ | A+++ | A+++ |
| Spin Drying Performance Class | B | B | B | B | B |
| Dimensions | | | | | |
| Net Dimensions W × D × H (mm) | 595 × 515 × 845 | 595 × 600 × 850 | 595 × 600 × 850 | 595 × 460 × 850 | 595 × 600 × 850 |
| Loading capacity (Carton)(40HC) | 223 | 162 | 162 | 230 | 162 |
| Loading capacity (Shrink Film)(40HC) | Not Available | 162 | 162 | 246 | 162 |

1、Remark: The specification is for basic model, just for reference if the product design change. 2、"√" Yes, model has this feature. "-" Feature not available for this model.

Specification

HA

| Model | WFLJ80121 | WFLJ70121 | WFxE8012 | WFxE7012 | WFxE6012 |
|--|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|
| Cabinet Colour | White (Silver is optional) | White (Silver is optional) | White (Silver is optional) | White (Silver is optional) | White (Silver is optional) |
| Display | LED | LED | LED | LED | LED |
| Built in/Free standing | Free Standing | Free Standing | Free Standing | Free Standing | Free Standing |
| Water Pressure (Mpa) | 0.1-2 | 0.1-1 | 0.1-1 | 0.1-1 | 0.1-1 |
| Supply Voltage (V/Hz) | 220-240V/51Hz | 220-240V/50Hz | 220-240V/50 | 220-240/50 | 220-240/50 |
| Washing capacity (KG) | 8 | 7 | 8 | 7 | 6 |
| Max Temperature Option (°C) | 95 | 95 | 95 | 95 | 95 |
| Max Spin Speed Option(RPM) | 1200 | 1200 | 1200 | 1200 | 1200 |
| End User Comfort | | | | | |
| Spin Speed Option | √ | √ | √ | √ | √ |
| Buttons | Push buttons | Push buttons | Push buttons | Push buttons | Push buttons |
| Tub/Drum Material | Plastic/Stainless Steel | Plastic/Stainless Steel | Plastic/Stainless Steel | Plastic/Stainless Steel | Plastic/Stainless Steel |
| Memory Backup | √ | √ | √ | √ | √ |
| Safety System | | | | | |
| Anti-foam sensor system | √ | √ | √ | √ | √ |
| Electronic Spin Speed Management | √ | √ | √ | √ | √ |
| Balance control | √ | √ | √ | √ | √ |
| Features | | | | | |
| Number Programs | 16 | 12 | 8 | 8 | 8 |
| Inverter | - | - | - | - | - |
| Snowflake Drum | √ | - | √ | - | - |
| Auto Dosing | - | - | - | - | - |
| Pause & Add | - | - | - | - | - |
| Power Jet Wash | - | - | - | - | - |
| Hismart | - | - | - | - | - |
| One Press Smart Wash | - | - | - | - | - |
| Soil Sensor | - | - | - | - | - |
| Child Lock | √ | √ | √ | √ | √ |
| Favourite | - | - | √ | √ | √ |
| Time Delay | √ | √ | - | - | - |
| Load Option | - | - | - | - | - |
| Big Size Door Design | - | - | - | - | - |
| Performance (Standard No. 2010/1061/EC) | | | | | |
| Energy Efficiency Class | A+++ | A+++ | A+++ | A+++ | A+++ |
| Spin Drying Performance Class | B | B | B | B | B |
| Dimensions | | | | | |
| Net Dimensions W × D × H (mm) | 595 × 600 × 850 | 595 × 460 × 850 | 595 × 600 × 850 | 595 × 450 × 850 | 595 × 450 × 850 |
| Loading capacity (Carton)(40HC) | 162 | 230 | 162 | 249 | 249 |
| Loading capacity (Shrink Film)(40HC) | 162 | 246 | 162 | 249 | 249 |

1、Remark: The specification is for basic model, just for reference if the product design change. 2、"√" Yes, model has this feature. "-" Feature not available for this model.

Specification

VA

| Model | WTOQ162S | WTOQ122S | WTQG901VAWC | WTQG801VAWT |
|--|------------------|-----------------|-----------------|-----------------|
| Supply Voltage (V/ Hz) | 220-240/ 50 | 220-240/ 50 | 220-240/ 50 | 220-240/ 50 |
| Water Inlet (Single; Double) | Double | Double | Single | Single |
| Pump | - | - | - | - |
| Washing Capacity (KG) | 16 | 12 | 9 | 8 |
| Cabinet Colour | Silver | Silver | Gold | Gray |
| Inner Drum | Stainless Steel | Stainless Steel | Stainless Steel | Stainless Steel |
| Adjustable Feet (Quantity/ Position) | 1/ Left Front | 1/ Left Front | 1/ Left Front | 1/ Left Front |
| Controls | | | | |
| Water Levels [Quantity/ Electric (Mechanical)] | 10/Electric | 10/Electric | 8 | 8 |
| Display (Lamp/ LED/ LCD) | LED | LED | LED | LED |
| Buzzer | √ | √ | √ | √ |
| Fuzzy | √ | √ | √ | √ |
| Features | | | | |
| Number of Programs | 10 | 10 | 8 | 8 |
| Inverter | - | - | √ | √ |
| Snowflake Drum | - | - | - | √ |
| Auto Dosing | - | - | √ | √ |
| Time Delay | √ | √ | √ | √ |
| Power Jet Wash | - | - | √ | √ |
| HiSmart | - | - | √ | √ |
| 3D Water Fall System | - | - | √ | √ |
| Dual Lint Filters | - | - | √ | √ |
| Child Lock | √ | √ | √ | √ |
| Auto Power Off | √ | √ | √ | √ |
| Slam Door | √ | √ | √ | √ |
| Tempered Glass Door | √ | √ | √ | √ |
| Dimensions | | | | |
| Net Dimensions W × D × H (mm) | 685 × 700 × 1070 | 605 × 640 × 995 | 580 × 590 × 990 | 550 × 560 × 980 |
| Loading Capacity (40HC) | 96 | 102 | 102 | 108 |

1、Remark: The specification is for basic model, just for reference if the product design change. 2、"√" Yes, model has this feature. "-" Feature not available for this model.

Specification

VA

| Model | WTLW801C | WTDW801C | WTCS901G | WTCF801G |
|--|-----------------|-----------------|-----------------------------|-----------------------------|
| Supply Voltage (V/ Hz) | 220-240/ 50 | 220-240/ 50 | 220-240/ 50 | 220-240/ 50 |
| Water Inlet (Single; Double) | Single | Single | Single (Double is optional) | Single (Double is optional) |
| Pump | - | - | - | - |
| Washing Capacity (KG) | 8 | 8 | 9 | 8 |
| Cabinet Colour | Glod | Glod | Gray | Gray |
| Inner Drum | Stainless Steel | Stainless Steel | Stainless Steel | Stainless Steel |
| Adjustable Feet (Quantity/ Position) | 1/ Left Front | 1/ Left Front | 1/ Left Front | 1/ Left Front |
| Controls | | | | |
| Water Levels [Quantity/ Electric (Mechanical)] | 10/ Electric | 10/ Electric | 8/ Electric | 8/ Electric |
| Display (Lamp/ LED/ LCD) | LED | LED | LED | LED |
| Buzzer | √ | √ | √ | √ |
| Fuzzy | √ | √ | √ | √ |
| Features | | | | |
| Number of Programs | 10 | 10 | 8 | 8 |
| Inverter | - | - | - | - |
| Snowflake Drum | - | - | √ | √ |
| Auto Dosing | - | - | - | - |
| Time Delay | √ | √ | √ | √ |
| Power Jet Wash | - | - | - | - |
| HiSmart | - | - | - | - |
| 3D Water Fall System | - | - | √ | √ |
| Dual Lint Filters | - | - | √ | √ |
| Child Lock | √ | √ | √ | √ |
| Auto Power Off | √ | √ | √ | √ |
| Slam Door | √ | √ | - | - |
| Tempered Glass Door | √ | √ | - | - |
| Dimensions | | | | |
| Net Dimensions W × D × H (mm) | 550 × 580 × 980 | 532 × 532 × 950 | 580 × 590 × 968 | 556 × 566 × 968 |
| Loading Capacity (40HC) | 147 | 147 | 102 | 108 |

1、Remark: The specification is for basic model, just for reference if the product design change. 2、 "√" Yes, model has this feature. "-" Feature not available for this model.

Specification

VA

| Model | WTCT701G | WTNJ751 | WTBH551B | WTBU551 |
|--|-----------------------------|-----------------|-----------------|-----------------|
| Supply Voltage (V/ Hz) | 220-240/ 50 | 100-115/ 50/ 60 | 100-115/50/60 | 100-115/50/60 |
| Water Inlet (Single; Double) | Single (Double is optional) | Single | Single | Single |
| Pump | Optional | - | - | - |
| Washing Capacity (KG) | 7 | 7.5 | 5.5 | 5.5 |
| Cabinet Colour | Gray | White | Black | White |
| Inner Drum | Stainless Steel | Stainless Steel | Stainless Steel | Stainless Steel |
| Adjustable Feet (Quantity/ Position) | 1/ Left Front | 1/ Left Front | 1/Left Front | 1/Left Front |
| Controls | | | | |
| Water Levels [Quantity/ Electric (Mechanical)] | 8/ Electric | 10/ Electric | 8/Electric | 8/Electric |
| Display (Lamp/ LED/ LCD) | LED | LED | LED | LED |
| Buzzer | √ | √ | √ | √ |
| Fuzzy | √ | √ | √ | √ |
| Features | | | | |
| Number of Programs | 8 | 10 | 10 | 10 |
| Inverter | - | - | - | - |
| Snowflake Drum | √ | - | - | - |
| Auto Dosing | - | - | - | - |
| Time Delay | √ | √ | √ | √ |
| Power Jet Wash | - | - | - | - |
| HiSmart | - | - | - | - |
| 3D Water Fall System | √ | - | - | - |
| Dual Lint Filters | √ | - | √ | √ |
| Child Lock | √ | √ | √ | √ |
| Auto Power Off | √ | √ | √ | √ |
| Slam Door | - | √ | √ | √ |
| Tempered Glass Door | - | √ | √ | √ |
| Dimensions | | | | |
| Net Dimensions W × D × H (mm) | 532 × 532 × 920 | 530 × 560 × 990 | 500 × 510 × 900 | 500 × 510 × 900 |
| Loading Capacity (40HC) | 150 | 160 | 160 | 160 |

1、Remark: The specification is for basic model, just for reference if the product design change. 2、 "√" Yes, model has this feature. "-" Feature not available for this model.

Specification

TWIN TUB

| Model | WSC121 | WSA101 | WSB901 | WSA701 |
|-----------------------------------|------------------|------------------|------------------------|-----------------|
| Supply Voltage (V/ Hz) | 220-240/ 50 | 220-240/ 50 | 220-240/ 50 | 220-240/ 50 |
| Water Pressure (Mpa) | 0.02-0.3 | 0.02-0.3 | 0.02-0.3 | 0.02-0.3 |
| Washing/ Spining Capacity (KG) | 12/ 7 | 10/ 6.5 | 9/ 6.5 | 7/ 5 |
| Max Water Level (Litre) | 105 | 83 | 68 | 58 |
| Function Specification | | | | |
| Washing Program | Normal/ Gentle | Normal /Gentle | Normal /Gentle | Normal/ Gentle |
| Lint Filter | √ | √ | √ | √ |
| Water Inlet Selector | √ | √ | √ | √ |
| Spin Shower Function | √ | √ | √ | √ |
| Drain Pump | - | - | - | - |
| Layer of Cabinet | 1 | 1 | 2 | 2 |
| Lid Colour | Sky blue | White | White | White |
| Controls | | | | |
| Program Knob (Quantity) | 4 | 4 | 3 | 3 |
| Washing Timer (Time Range) | 0-15min | 0-15min | 0-15min | 0-15min |
| Spinning Timer (Time Range) | 0-5min | 0-5min | 0-5min | 0-5min |
| Dimensions | | | | |
| Net Dimensions W × D × H (mm) | 940 × 540 × 1050 | 854 × 490 × 956 | 806 × 460 × 914 (974) | 758 × 436 × 910 |
| Packing Dimensions W × D × H (mm) | 990 × 585 × 1040 | 890 × 525 × 1010 | 850 × 513 × 945 (1005) | 802 × 492 × 930 |
| Packaging Type | Carton | Carton | Carton | Carton |
| Net Weight (KG) | 34 | 23 | 22.5 | 21 |
| Packing Weight (KG) | 38 | 26 | 25.5 | 24 |
| Loading Capacity (40HC) | 120 | 144 | 154 | 184 |
| Code Approval | | | | |
| Approval Status | CB | CB | CB | CB |

1、Remark: The specification is for basic model, just for reference if the product design change. 2、"√" Yes, model has this feature. "-" Feature not available for this model.



Global R&D Centers, Production Bases and Subsidiaries

- Production Base
- Countries and Regions of Exported Products
- Overseas Company
- R&D Center

Introduction of Hisense

Founded in 1969, Hisense is a world leader in Smart TVs, household appliances, and mobile communication devices. Hisense has a workforce of over 75,000 worldwide and its flat-panel TV market share in China has been No.1 for 11 consecutive years. Currently, Hisense boasts more than 20 subsidiaries, with sales revenue reaching USD 16 billion in 2014. Hisense also has 16 overseas companies, 7 overseas R&D centers and 5 overseas production bases, and its products are sold in more than 130 countries and regions around the world.

Hisense's many subsidiaries are in the consumer electronics, home appliances, mobile communications, information technology, and real estate industries. With 15 production facilities and 12 R&D centers around the globe, its regional headquarters are located in North America, Europe, Asia-Pacific, Middle East, Africa, and Central and South America. Hisense products are sold in more than 130 countries with sales revenue of USD \$16 billion in 2014. In addition, Hisense has strategic partnerships with trusted global corporations such as IBM, Hitachi, and Whirlpool for the development and marketing of various products and services.

"Technology, Quality, Integrity, and Responsibility" are the four key elements of Hisense. Over the years, Hisense has developed energy-saving products that are more eco-friendly and has supported more than 2,000 primary schools in underdeveloped and disaster-impacted regions throughout China and across the world. Pursuing healthy operations, top quality, and honesty, Hisense has won the respect and loyalty of our business partners.

Hisense life reimagined

Hisense

Hisense International Co., Ltd.

Add: F22, Hisense Tower, 17 Donghai Xi Road
Qingdao, China 266071
Tel: +86-532-83878888
Fax: +86-532-83866770
E-mail: marketing@hisense.com
Website: <http://www.hisense.cn/en>

Add: 08 Ronggang Road, Ronggui, Shunde, Guangdong, China.
Fax: +86-757-28361060
E-mail: marketing@hisense.com
Website: <http://www.hisense.cn/en>



Note: Product design and specification subject to change without prior notice.

© 2017 Hisense Corporation. All rights reserved. Hisense and the Hisense logo are trademarks or registered trademarks of Hisense Group in China and/or other countries. All rights reserved. The Hisense Smart TV logo, Ultra HD High Definition logo, SMR logo and life reimagined logo are trademarks or registered trademarks of Hisense Electric Co., Ltd. in China and/or other countries. All rights reserved. All other company names, brand names, trademarks and logos are the property of their respective owners. All rights reserved.

